

Campsite Rundown

Site: 1

Category:

Service:Electric

Power Pedestal:

15A/30A/50A

Description: Lake Front , shaded Site Access: Back-in Site
Width: 32' Site Length: 56' Pad Width: 32' Pad Length: 33'
Overhead Site Clearance: High Site Privacy: Private

Site: 2

Category:

Service: electric

Power Pedestal:

15/30/50A

Description: Lake Front , shaded Site Access: Pull Through
Site Width:40' Site Length: 56' Pad Width: 23' Pad Length:
56' Overhead Site Clearance:high Site:private

Site: 3

Category:

Service:electric

Power Pedestal:

15/30/50A

Description:Lake Front, shade
site: Back in, Site Width:35'
Length 58'Overhead
Clearance::high Pad Width 20'
length 45' Private

Site:4

Category:

Service: electric

Power Pedestal:15/30/

Description: Lake Front, shaded Site Access: back in Site
Width:52; Site Length:40' Pad Width:20' Pad Length:46'
Overhead Site Clearance: high Site Privacy: semi private

Site: 5

Category:

Service:electric

Power Pedestal:

15/30/50A

Description: Lake Front 30A, shaded

Site Access: back in Site Width: 50'

Site Length: 45' Pad Width: 18' Pad

Length: 45' Overhead Site Clearance:

High Site Privacy:semi private

Site: 6

Category:

Service:Electric

Power Pedestal:

15/30/50A Allowed

Description: Lake Front 30A,

shaded Site Access:back in Site

Width:30'

Site Length: 57'

Pad Width:32'

Pad Length: 50'

Overhead Site Clearance:

high Site Privacy: Private

Site: 7

Category:

Service: electric

Power Pedestal:

15/30/50A

Description:Lake Front 30A, shaded Site Access:

Pull through Site Width: 49' Site Length: 66' Pad

Width: 31' Pad Length: 66' , Site:Private

Site 8:

Category:

service:electric

Power Pedestal:

15/30/50A

Description: Lake Front, 30A,

shaded Site Access:back in Site

Width: 30' Site Length: 58' Pad

Width: 22' Pad Length: 37' Overhead

Site Clearance: high, Site Private

Site: 9

Category:

Service electric

Power Pedestal: 15/30A

Site Access: Back-in

Site Width: 45' Site

Length: 45' Pad

Width: 24' Pad

Length: 38'

Overhead Site Clearance:High

Privacy: private

Site: 10

Category:

Service:electric

Power Pedestal: 15/30A

Site Access: pull thru Site Width: 42' Site Length: 80' Pad Width:

20' Pad Length: 50' Overhead Clearance: high,Site Privacy:shaded p

Site: 11

Category:

Service:electric

Power Pedestal: 15/30A

Description: shaded Site Access: pull thru

Site Width: 42' Site Length: 72' Pad Width:

22' Pad Length: 50' Overhead Site

Clearance: high Site Privacy: private

Site: 12

Category:

service:electric

Power Pedestal: 15/30 A Allowed Equipment: max

Description: 30a electrical,Site Access: back in Site Width: 37' Site Length:

58' Pad Width: 28' Pad Length: 40' Overhead Site Clearance: high Site

Privacy: private

Site: 13

Category:

Service: electric

Power Pedestal: 15/30A

Description: 30A Electric, shaded Site

Access: back in Site Width: 32' Site Length:

62' Pad Width: 28' Pad Length: 36' Overhead

Site Clearance: high Site Privacy: privacy

Site: 14

Category:

Service: electric

Power Pedestal:15/30A Back in,

shaded Site Access: back in Site

Width: 30' Site Length: 54' Pad

Width: 17' Pad Length: 40'

Overhead Site Clearance:

high Site Privacy: private

Site: 15A

Category

Service:electric

Power Pedestal: 15/30A

Description: 30A, back in, shaded Site

Access: back in Site Width: 53' Site Length:

44' Pad Width: 24' Pad Length: 46' Overhead

Site Clearance: high Site Privacy: double site;
semi private

Site: 15B

Category:

Service: electric

Power Pedestal: 15/30A

Description: 30A, back in, double site, shaded

Site Access: Back in Site Width: 22' Site

Length: 48' Pad Width: 15' Pad Length: 41'

Overhead Site Clearance: high Site Privacy:
double site; semi private

Site: 16

Category:

Service: electric

Power Pedestal: 15/30A back in,
shaded Site Width: 36' Site

Length: 90' Pad Width: 20' Pad

Length: 70' Overhead Site

Clearance: high Site Privacy:
semi private

Site: 17

Category:

Service: electric

Power Pedestal: 15/30A Back in,
shaded Site Width: 28' Length 64'

Pad Width: 24' Pad Length: 48'

Overhead Site high, semi private

Site: 18

Category

Service: electric

Power Pedestal: 15/30A

back in, shaded Site Width: 38' Site Length: 58'

Pad Width: 22' Pad Length: 52' Overhead Site

Clearance: high Site Private

Site: 19

Category:

Service: electric

Power Pedestal: 15/30A

back in, shaded Site Width: 38' Site Length: 58'

.Pad Width: 22'

Pad Length: 52'

Overhead Site Clearance: high

Site Privacy: semi-private

Site: 20

Category:

Service Electric

Power Pedestal : 15/30A, back in,
shaded Site Width: 29' Site
Length: 65' Pad Width: 22' Pad
Length: 40' Overhead Site
Clearance: high Site Privacy:
semi-private

Site: 21

Category:

Service: electric

Pedestal:15/30A

Pull Through site :

Width: 35' Site Length: 70' Pad Width: 18' Pad
Length: 60' Overhead Site Clearance: high Site
Privacy: private shade

Site: 22

Category:

Service: electric

Power Pedestal: 15/30A

pull thru, shaded Site Width: 48'

Site Length: 62' Pad Width: 32' Pad

Length: 52' Overhead Site

Clearance: high Site Private:

Site: 23

Category

Service: electric

Power Pedestal: 15/30/50A, Back in

Site Width: 30' Site Length: 56' Pad

Width: 24' Pad Length: 35' Overhead

Site Clearance: high Site Private

Site: 24

Category

Service:electric

Power Pedestal: 15/30A back in,

shaded Site Width: 30' Site Length:

55' Pad Width: 24' Pad Length: 38'

Overhead Site Clearance: high Site:

private

Site: 25

Category:

Service: electric

Power Pedestal:15/30A

pull thru, shaded Site Width: 46' Site

Length: 65' Pad Width: 20' Pad

Length: 60' Overhead Site

Clearance: high, Site Private

Site: 26

Category: Service:

electric

Power Pedestal:15/30A

pull thru, shaded Site Width: 40' Site

Length: 62' Pad Width: 19' Pad

Length: 50' Overhead Site Clearance:

high Site private

Site: 27

Category:

Service: electric

Power Pedestal: 15/30A back in,

shaded Site Width: 34' Site Length:

42' Pad Width: 24' Pad Length: 40'

Overhead Site Clearance: high, Site

Private

Site: 28

Category:

Service: electric

Power Pedestal: 15/30A back in,

shaded Site Width: 28' Site Length:

70' Pad Width: 24' Pad Length: 50'

Overhead Site Clearance: high Site

Privacy: private

Site: 29

Category:

Service: electric

Power Pedestal: 15/30A

pull thru, shaded Site Width: 30'

Site Length: 72' Pad Width: 18' Pad

Length: 60' Overhead Site

Clearance: High, Site private

Site: 30

Category:

service electric

Power Pedestal: 15/30A

pull through, shaded site Width: 40'

Site Length: 85' Pad Width: 14' Pad

Length: 60' Overhead Site

Clearance: high, Site private

Site: 31

Category: Service electric
powerPedestal: 15/30A back in,
shaded Site Width: 34' Site
Length: 40' Pad Width: 18' Pad
Length: 32' Overhead Site
Clearance: high Site Private

Site: 32

Category:
Service::electric

Power Pedestal: 15/30A

pull thru, shaded Site Width: 54' Site
Length: 60' Pad Width: 18' Pad
Length: 52' Overhead Site Clearance:
high Site : private

Site: 33

Category

Service Electric

Power Pedestal:15/30A Allowed
Equipment: up to 25' Description:
30A, back in, shaded Site Width:
40' Site Length: 34' Pad Width: 20'
Pad Length: 28' Overhead Site
Clearance: high Site: private

Site: 34

Category:

Service: electric

Power Pedestal: 15/30A Allowed
Equipment: max Description: 30A,
back in, shaded Site Width: 30' Site
Length: 84' Pad Width: 24' Pad
Length: 55' Site Private

Site: 35

Category:

Service: electric

Power Pedestal:15/30A

Allowed Equipment: max

Description: 30A, pull thru, shaded

Site Width: 40'

Site Length: 92'

Pad Width: 20'

Pad Length: 80'

Overhead Site Clearance: high

Site Privacy: private

Site: 36

Category:

Service: electric

Power Pedestal:15/30A

Allowed Equipment: max

Description: 30A, pull thru, shaded

Site Width: 70' Site Length: 100' Pad

Width: 16' Pad Length: 72' Overhead

Site Clearance: high Site Private

Site: 37

Category:

Service::electric

Power Pedestal: 15/30A Allowed

Equipment: max Description: 30A,
back in, shaded Site Width: 36' Site

Length: 62' Pad Width: 26' Pad

Length: 42' site : private

Site: 38

Category:

Service: electric

Power Pedestal: 15/30A Allowed

Equipment: max Description: 30A,
back in, shaded Site Width: 40'

Site Length: 60'

Pad Width: 24' Pad

Length: 44'

Overhead Site Clearance: high

Site Privacy: private

Site: 39

Category:

Service: electric

Power Pedestal: 15/30/50A

Allowed Equipment: max

Description: 50A upgrade, pull thru, shaded

Site Width: 38' Site Length: 60' Pad Width:

16' Pad Length: 46' Overhead Site Clearance:

high Site Privacy: private

Site: 40A

Category:

Service: electric

Power Pedestal: 15/30A

Allowed Equipment: max

Description: 30A, back in, double site, shaded

Site Width: 36' Site Length: 42' Pad Width: 16'

Pad Length: 33' Overhead Site Clearance: high

Site Privacy: private

Site: 40B

Category:

Service: electric

Power Pedestal: 15/30A Allowed

Equipment: max Description: 30A,
back in, shaded Site Width: 36' Site

Length: 42'

Pad Width: 16' Pad

Length: 33'

Overhead Site Clearance: high Site

Privacy: privacy

Site: 41

Category:

Service: electric

Power Pedestal: 15/30/50A

Allowed Equipment: max

Description: 50A upgrade, back in, shaded Site
Width: 45' Site Length: 58' Pad Width: 24' Pad

Length: 42' Overhead Site Clearance: high Site

Privacy: private

Site: 42

Category:

Service: electric

Power Pedestal: 15/30A

Allowed Equipment: max

Description: 30A, back in, shaded,
Site Width: 42' Site Length: 33' Pad

Width: 24' Pad Length: 33' Overhead

Site Clearance: high Site Privacy: semi
private

Site: 43

Category:

Service electric

Power Pedestal: 15/30A

Allowed Equipment: max

Description: 30A, back in, shaded,

Site Width: 36' Site Length: 58' Pad

Width: 22'

Pad Length: 35'

Overhead Site Clearance: high Site

Privacy: semi private

Site: 44

Category:

Service :electric

Power Pedestal: 15/30A

Allowed Equipment: max

Description: 30A, back in, shaded,

Site Width: 41' Site Length: 51' Pad

Width: 20' Pad Length: 38' Overhead

Site Clearance: high Site Privacy: semi

private

Site: 45

Category:

Service: electric

Power Pedestal: 15/30A Allowed

Equipment: up to 25'

Description: 30A , back in, shaded Site Width:

33' Site Length: 58' Pad Width: 16' Pad

Length: 58' Overhead Site Clearance: high Site

Privacy: private

Site: 46

Category:

Service: electric

Power Pedestal: 15/30A Allowed

Equipment: max Description: 30A,
back in, shaded Site Width: 40' Site

Length: 65' Pad Width: 18' Pad

Length: 50' Overhead Site Clearance:
high Site Private

Site: 47

Category:

Service: electric

Power Pedestal: 15/30A Allowed

Equipment: up to 25' Description:
30A, back in, shaded Site Width: 22'

Site Length: 44' Pad Width: 20' Pad

Length: 30 Overhead Site Clearance:
high Site: private

Site: 48

Category:

Service: electric

Power Pedestal: 15/30A Allowed

Equipment: max Description: 30A,
back in, shaded Site Width: 30' Site

Length: 60' Pad Width: 18' Pad

Length: 40' Overhead Site Private

Site: 49

Category:

Service: electric

Power Pedestal: 15/30A Allowed

Equipment: max Description: 30A,
back in, shaded Site Width: 18' Site

Length: 45' Pad Width: 14' Pad

Length: 35' Overhead Site

Clearance: high

Site Privacy: private

Site: 50A

Category:

Service: electric

Power Pedestal: 15/30A Allowed

Equipment: max Description: 30A, back
in, shaded Site Width: 37' Site Length:

50' Pad Width: 20' Pad Length: 44'

Overhead Site Clearance: high Site

Privacy: open; double site

Site: 50B

Category:

Service: electric

Power Pedestal: 15/30A Allowed

Equipment: max Description: 30A,
back in, shaded Site Width: 36' Site

Length: 50' Pad Width: 20' Pad

Length: 42' Overhead Site Clearance:

high Site Privacy: open; double site

Site: 51

Category:

Service: electric

Power Pedestal: 15/30A Allowed

Equipment: up to 25' Description:
30A, back in, shaded Site Width: 20'

Site Length: 40' Pad Width: 10' Pad

Length: 24' Overhead Site Clearance:

high Site Privacy: semi private

Site: 52

Category:

Service: electric

Power Pedestal: 15/30A

Allowed Equipment: max

Description: 30A, pull thru, shaded Site

Width: 50' Site Length: 66' Pad Width:

22' Pad Length: 66' Site semi private

Site: 53

Category:

Service: electric

Power Pedestal: 15/30A

Allowed Equipment: max

Description: 30A, back in, partial shade Site

Width: 48' Site Length: 43' Pad Width: 24'

Pad Length: 43' Overhead Site Clearance:

high Site : semi private

Site: 54

Category:

Service: electric

Power Pedestal: 15/30A Allowed

Equipment: up to 25' Description:

30A, back in, shaded Site Width: 28'

Site Length: 46' Pad Width: 16' Pad

Length: 30' Site Private

Site: 55

Category:

Service: electric

Power Pedestal: 15/30A

Allowed Equipment: max

Description: 30A, back in, partial shade Site

Width: 44' Site Length: 56' Pad Width: 24'

Pad Length: 52' Site Privacy: private

Site: 56

Category:

Service:

Non electric Power

Pedestal: N/A

Allowed Equipment: up to 32' RV

Description: non power, back in, shaded

Site Width: 18' Site Length: 76' Pad Width:

12' Pad Length: 32' Overhead Site

Clearance: high Site Privacy: semi private

Site: 57

Category:

Service: non-electric

Power Pedestal: N/A

Allowed Equipment: up to 32' RV

Description: 30A, back in, shade Site

Width: 29' Site Length: 62' Pad

Width: 18' Pad Length: 32' Overhead

Site Clearance: high Site Privacy:

semi private

Site: 58

Category:

Service: electric

Power Pedestal: 15/30A

Allowed Equipment: up to 32' RV

Description: 30A, back in, open/minimal shade Site

Width: 22' Site Length: 62' Pad Width: 20' Pad

Length: 32' Overhead Site Clearance: open Site

Privacy: semi private- open

Site: 59

Category:

Service: electric

Power Pedestal: 15/30A

Allowed Equipment: max

Description: 30A, back in, partial shade Site

Width: 34' Site Length: 48' Pad Width: 24'

Pad Length: 40' Overhead Site Clearance:

high Site Privacy: open; minimal privacy

****OVER FLOW****

TENTING SITES ONLY:::::

Site 60

service: Non Electric

tenting only

Site 61

service: Non Electric

Tenting only